Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	(("6336998") or ("5685009") or ("5611063") or ("5568646") or ("6076155") or ("5781457")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	, 2004/06/27 18:18
S2	6	(("6366998") or ("5685009") or ("5611063") or ("5568646") or ("6076155") or ("5781457")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/27 18:19
S3	150	((712/222).CCLS.) and (floating adj1 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/30 16:15
S4	0	(floating adj1 point adj1 registers) and ((instruction adj1 set) near4 (mode adj1 identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 11:48
S5	0	(floating adj1 point) and ((instruction adj1 set) near4 (mode adj1 identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 11:49
S6	1	(floating adj1 point) and (instruction adj1 set) and (mode adj1 identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 11:50
S7	4	(floating adj1 point) and (mode adj1 identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 12:51
S8	214	(floating adj1 point adj1 registers) and (instruction adj1 sets)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/02/03 13:23
S9	80	((floating adj1 point adj1 registers) and (instruction adj1 sets)) and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 13:29
S10	40	(mode adj1 indicator) and (floating adj1 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF ,	2002/09/24 15:00
S11	0	"Richter.in"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:02

S12 ,	2255	(RICHTER-ET-AL)".in"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:02
S13	2255	(RICHTER-ET-AL)".in" and 712/?. ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:02
S14	2255	(RICHTER-ET-AL)".in" and (712/?)". ccls"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:02
S15	2255	(RICHTER-ET-AL)".in" and (("712"/)".ccls")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:03
S16	2255	(RICHTER-ET-AL)".in" and CISC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:03
S17	21	((RICHTER-ET-AL)".in") and CISC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:40
S18	24	((RICHTER-ET-AL)".in") and (instruction adj1 sets)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:45
S19	97	((712/222).CCLS.) and (floating adj1 point adj1 unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/25 09:59
S20	2	("5487684").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR ·	OFF	2002/09/26 08:06
S21	2	("5481684").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	.OFF	2002/09/26 08:07
S22	14	(RICHTER-DAVID-E)".in"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/26 08:07

			<u> </u>			
S23	609	floating adj1 point adj1 units	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/26 10:49
S24	129	(floating adj1 point adj1 units) and (floating adj1 point adj1 registers)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/26 10:50
S25	95	((712/222).CCLS.) and (@pd >= "19990215")	USPAT; EPO; JPO	OR	OFF	2003/02/03 13:17
S26	218	(floating adj1 point adj1 registers) and (instruction adj1 sets) and (@ pd >= "19990215")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/02/03 13:24
S27	3	(RISC near4 size) with (CISC near4 size)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/01/27 10:22
S28	7	different with (instruction adj1 size\$1)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/06/09 10:14
S29	1	Blomgren and (RISC near4 size) and (CISC near4 size)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/06/09 11:01
S30	199	(712/222).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/06/09 11:19
S31	95	(BLOMGREN-JAMES-S)".in"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/06/09 11:21
S32	4	(RISC near4 size) and (CISC near4 size)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/06/09 13:07
S33	123	(first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/21 11:09
S34	9	((first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set)) near4 mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/21 11:07
S35	1	(((first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set)) same mode) same (floating\$point adj1 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/21 11:07

			•			
S36	3	(((first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set)) same mode) and (floating\$point adj1 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/21 11:08
S37	2	(first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set) near4 size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/21 11:09
S38	87	((712/222).CCLS.) and @pd>="20000215"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/29 09:56
S39	4	(RISC near4 size) with (CISC near4 size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/01/27 10:22
S40	18	(RISC and CISC) near4 mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/01/27 10:22
S41	1	("5,961,632").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/01/27 11:50
S42	0	((instruction adj1 sets) near4 (differ\$3 near4 word adj1 size)) same (float\$3 adj1 point\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 11:10
S43	0	((instruction adj1 sets) near4 (word adj1 size)) same (float\$3 adj1 point\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 11:10
S44	0	((instruction adj1 sets) with (word adj1 size)) same (float\$3 adj1 point\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 11:10
S45	0	((instruction adj1 sets) near4 (size)) same (float\$3 adj1 point\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 11:10
S46	0	((instruction adj1 sets) near4 (word adj1 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 11:10
S47	. 0	((instruction adj1 sets) near4 (word adj1 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 11:10

\$48	2	((instruction adj1 sets) same (word adj1 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 12:33
S49	2	((first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set)) near4 size	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 12:34
S50	4	((first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set)) with size	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 12:34
S51	51	(floating ad1j point) near4 instruction\$1 near4 size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 13:46
S52	10	(floating ad1j point) near4 (instruction\$1 adj1 size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 13:45
S53	17	(floating adj1 point) near4 instruction\$1 near4 size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 13:56
S54	3	(floating adj1 point) near4 (instruction\$1 adj1 size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 13:48
S55	4	(floating adj1 point) with (instruction\$1 adj1 size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 13:56
S56	22	(floating adj1 point) same (instruction\$1 adj1 size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 14:20
S57	0	((float\$3 adj1 point\$3) adj1 instruction\$1) near4 (integer\$1 adj1 instrution\$1) near4 size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 14:21
S58	. 0	((float\$3 adj1 point\$3) adj1 instruction\$1) with (integer\$1 adj1 instrution\$1) with size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 14:21
S59	. 0	(((float\$3 adj1 point\$3) and integer) adj1 instruction\$1) with size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 14:21

		•		-			
9	60	13	(float\$3 adj1 point\$3 adj1 instruction\$1) with size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 14:22
5	561	34	dual adj1 instruction adj1 set\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 14:57
5	562	0	(dual adj1 instruction adj1 set\$1) same (instruction adj1 size\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 15:09
S	563	6	(dual adj1 instruction adj1 set\$1) same size\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	OFF	2004/06/24 15:09
S	564	2	(("5497341") or ("5442577")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 13:34
9	565	1	("5751614").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 13:35
5	566	42	"5481693"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 13:47
	567	1	("5481693").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 13:47
		45	shar\$3 near4 (floating adj1 point adj1 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:30
5	669	15	(speculat\$3 adj1 load\$1) near4 identif\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:31
5	570	18	(speculat\$3 adj1 load\$1) near4 identif\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:33

	,					
S71	0	(speculat\$3 adj1 load\$1) near4 identif\$4 near4 mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:33
S72	0	(speculat\$3 adj1 load\$1) near4 identif\$4 with mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:33
S73	1	(speculat\$3 adj1 load\$1) near4 identif\$4 same mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:38
S74	11	(speculat\$3 adj1 load\$1) near4 mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:41
S75	13	(speculat\$3 adj1 load\$1) with mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:42
S76	12	(speculat\$3 adj1 load\$1) near4 enabl\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:42
S77	228	(712/222).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/06/25 15:09
S78	2	(("5481684") or ("5781750")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 16:15
S79	1	("5481693").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/02 15:21
S80	112	((712/222).CCLS.) and @pd>="20000215"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 15:27
S81	272	(712/222).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/05/29 10:23
S82	282	(712/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/29 10:34

S83	365	(712/209).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/29 10:34
S84	475	(712/210).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/29 10:34
S85	359	(712/229).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/29 10:34
S86	7486	(data near4 size\$1) with (mod\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 10:54
S87	6	(data near4 size\$1) with (mod\$3) with (floating?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 10:56
S88	1	(word\$1 near4 size\$1) with (mod\$3) with (floating?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 10:57
S89	1001	(word\$1 near4 size\$1) with (mod\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:16
S90	11	(word\$1 near4 size\$1) with (mod\$3) with switch\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:01
S91	183	(word\$1 near4 size\$1) with switch\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:01
S92	0	(word\$1 near4 size\$1) with switch\$3 with floatin\$3?point\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:02
S93	. 0	(word\$1 near4 size\$1) with switch\$3 with float\$3?point\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:02
S94	0	(word\$1 near4 size\$1) with switch\$3 with float\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	OFF	2007/05/29 11:06
S95	0	(word\$1 near4 size\$1) with chang\$3 with float\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:08

			-			,
S96	56	(word\$1 near4 size\$1) with float\$3?point\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:08
S97	56	(word\$1 near4 size\$1) with floating?point\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:08
S98	1	((word\$1 near4 size\$1) with floating?point\$1) and ((word\$1 near4 size\$1) with (mod\$3 or switch\$3 or chang\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:09
S99	40	((word\$1 near4 size\$1) with integer) and ((word\$1 near4 size\$1) with (mod\$3 or switch\$3 or chang\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:14
S10 0	3	((word\$1 near4 size\$1) with (float\$3 near4 point\$1)) and ((word\$1 near4 size\$1) with (mod\$3 or switch\$3 or chang\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:15
S10 1	3	(word\$1 near4 size\$1) with (mod\$3) with ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	·OR	OFF	2007/05/29 11:16
S10 2	145	(ARM and Thumb) and ((float\$3 near4 point\$1) or float\$3?point\$1) and (mod\$3 or switch\$3 or chang\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:18
S10 3	28	((mod\$3 or switch\$3 or chang\$3) same (ARM and Thumb)) and ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:24
S10 4	258	(size\$1 with (mod\$3 or switch\$3 or chang\$3)) same ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:24
S10 5	148	(size\$1 near4 (mod\$3 or switch\$3 or chang\$3)) same ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:30
S10 6	1	(word near4 size\$1 near4 (mod\$3 or switch\$3 or chang\$3)) same ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:25
S10 7		(instruction\$1 near4 word near4 (mod\$3 or switch\$3 or chang\$3)) same ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:26

,						
S10 8	12	((instruction\$1 near4 word) with (mod\$3 or switch\$3 or chang\$3)) same ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:28
S10 9	5	((word near4 size\$1) with (mod\$3 or switch\$3 or chang\$3)) same ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:28
S11 0	113	(size\$1 near4 (mode\$1 or switch\$3 or chang\$3)) same ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 11:30
S11 1	28	(size\$1 near4 (mode\$1 or switch\$3 or chang\$3)) with ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	OFF	2007/05/30 14:38
S11 2	4	((siz\$3 near4 mode\$1) near4 instruction\$1) same ((float\$3 near4 point\$1) or floating?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 13:48
S11 3	23	((siz\$3 near4 mode\$1) near4 instruction\$1) and (((float\$3 near4 point\$1) or floating?point\$1) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 13:48
S11 4	105	(word near4 size\$1) with ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 14:00
S11 5	5	(word near4 size\$1) with ((float\$3 near4 point\$1) or float\$3?point\$1) with register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 13:58
S11 6	1	(word near4 size\$1 near4 instruction\$1) with ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	OFF	2007/05/30 14:03
S11 7	2	(word near4 size\$1 near4 instruction\$1) same ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 14:04
S11 8	163	(word near4 size\$1 near4 instruction\$1) and ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/28 16:24
S11 9	83	(word near4 size\$1 near4 instruction\$1) and (((float\$3 near4 point\$1) or float\$3?point\$1) with register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 14:04

		EAST Scare	•			
S12 0	79	(word near4 size\$1 near4 instruction\$1) and (((float\$3 near4 point\$1) or float\$3?point\$1) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 14:04
S12 1	25	(word with size\$1 with instruction\$1) same ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 14:04
S12 2	1	("6230256").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 14:38
S12 3	9	(US-5734904-\$ or US-5757826-\$ or US-5892697-\$ or US-6185304-\$ or US-6377999-\$ or US-6438621-\$ or US-6438700-\$ or US-6446221-\$ or US-6898700-\$).did.	USPAT	OR	OFF	2007/05/31 12:33
S12 4	382	(712/209).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/28 15:09
S12 5	482	(712/210).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/28 15:09
S12 6	288	(712/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/28 15:09
S12 7	368	(712/229).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/28 15:17
S12 8	0	(word\$1 near4 siz\$3) with (mod\$3 or operati\$5) with ((bypass\$3 or skip\$5 or avoid\$3) near4 (process\$3 or arithmetic or ALU))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/28 15:19
S12 9	9	((word\$1 near4 siz\$3) with (mod\$3 or operati\$5)) same ((bypass\$3 or skip\$5 or avoid\$3) near4 (process\$3 or arithmetic or ALU))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/28 17:06
S13 0	10	((word\$1 near4 siz\$3) with (mod\$3 or operati\$5)) same ((bypass\$3 or skip\$5 or avoid\$3) with (process\$3 or arithmetic or ALU))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/28 17:06
S13 1	146	((word\$1 near4 siz\$3) same (mod\$3 or operati\$5)) same ((bypass\$3 or skip\$5 or avoid\$3) same (process\$3 or arithmetic or ALU))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/28 15:33
S13 2	3	((word\$1 near4 siz\$3) same mod\$3) same ((bypass\$3 or skip\$5) same (arithmetic or ALU))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/28 17:06

S13 3	92	((word\$1 near4 siz\$3) same mod\$3) and ((bypass\$3 or skip\$5) same (arithmetic or ALU))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/28 17:07
S13 4	15	((word\$1 near4 siz\$3) with mod\$3) and ((bypass\$3 or skip\$5) with (arithmetic or ALU))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/28 17:07
S13 5	28	(word with size\$1 with instruction\$1) same ((float\$3 near4 point\$1) or float\$3?point\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/28 16:23
S13 6	56	(word near4 size\$1 near4 instruction\$1) and ((float\$3 near4 point\$1) or float\$3?point\$1) and bypass\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/28 17:08
S13 7	12	(word near4 size\$1 near4 instruction\$1) and ((float\$3 near4 point\$1) or float\$3?point\$1) and (bypass\$3 with (arithmetic\$1 or ALU))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/28 17:08
S13 8	0	(((word\$1 near4 siz\$3) same mod\$3) and ((bypass\$3 or skip\$5) same (arithmetic or ALU))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/28 17:07
S13 9	0	(((word\$1 near4 siz\$3) with (mod\$3 or operati\$5)) same ((bypass\$3 or skip\$5 or avoid\$3) near4 (process\$3 or arithmetic or ALU))).clm.	US-PGPUB; USPAT; USOCR	OR .	OFF	2007/10/28 17:08
S14 0		(((word\$1 near4 siz\$3) with (mod\$3 or operati\$5)) same ((bypass\$3 or skip\$5 or avoid\$3) with (process\$3 or arithmetic or ALU))).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/28 17:08
S14 1	0	(((word\$1 near4 siz\$3) same mod\$3) same ((bypass\$3 or skip\$5) same (arithmetic or ALU))).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/28 17:08
S14 2	0	(((word\$1 near4 siz\$3) with mod\$3) and ((bypass\$3 or skip\$5) with (arithmetic or ALU))).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/28 17:09
S14 3	0	(((word\$1 near4 siz\$3) same mod\$3) and ((bypass\$3 or skip\$5) same (arithmetic or ALU))).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/28 17:09
S14 4	0	((word near4 size\$1 near4 instruction\$1) and ((float\$3 near4 point\$1) or float\$3?point\$1) and bypass\$3).clm.	US-PGPUB; USPAT; USOCR	OR	OFF .	2007/10/28 17:09